



- NOTES:
- 1: ALL RESISTORS IN OHMS, 1/2W 5% UNLESS OTHERWISE INDICATED
 - 2: ALL CAPACITORS CERAMIC, 50V 10% UNLESS OTHERWISE INDICATED
 - 3: SPECIAL PS1 CONNECTIONS:
 - "60 Hz REF" CONNECTED TO ONE END OF TRANSFORMER + 5V SECONDARY WINDING
 - "+ 8V" CONNECTED TO COLLECTOR TERMINAL OF + 5V REGULATOR PASS TRANSISTOR
 - 4: CONNECTION SYMBOL >>> INDICATES SIGNALS ENTERING OR LEAVING CIRCUIT BOARD
 - 5: CONNECT LINEAR IC POWER AS FOLLOWS:

+ 15V:	U1-7	- 15V:	U1-4
	U2-7		U2-4


POWER SUPPLIES

Title		
ELECTRONIC VECTOR CLOCK		
Size	Document Number	Rev
	DE000020	1.1
Date:	Wednesday, September 19, 2007	Sheet 1 of 4




CRT CIRCUITS AND Z-AXIS MODULATION

Title		
ELECTRONIC VECTOR CLOCK		
Size	Document Number	Rev
	DE000020	1.1
Date:	Wednesday, September 19, 2007	Sheet 2 of 4



CRT DEFLECTION AMPLIFIERS

Title		
ELECTRONIC VECTOR CLOCK		
Size	Document Number	Rev
	DE000020	1.1
Date:	Wednesday, September 19, 2007	Sheet 3 of 4



CARD CAGE AND MANUAL CONTROLS

Title		
ELECTRONIC VECTOR CLOCK		
Size	Document Number	Rev
	DE000020	1.1
Date:	Wednesday, September 19, 2007	Sheet 4 of 4